

MARVEL

TOOLS GUIDE FOR PROFESSIONAL



Hands from God Tools from MARVEL to finish the job

**MARVEL, creating customer satisfaction
by making sure the job is done right.**

MARVEL

- * Marvel has inherited the founder's management concept "Creation". We believe we are in the business of creating customer satisfaction, first and foremost. Being led to more customers, we can understand more about what our customers want. From this, we can create new products that are very marketable and our reputation and sales are constantly being raised by leaps and bounds.
- * We are totally committed to meeting our customers' needs and we firmly back all our products for their quality, reliability and long life. We want our customers to know that they are buying more than a tool when they buy MARVEL products.



Ratchet Crimp Tools For Non-Insulated Terminals



Small, Light, and Easy

Our high quality ratchet crimp tools passed the tests below make a huge difference in productivity.



Electric Resistance Test



Tensile Test



Temperature Rise Test



Salt Spray Test



Vibration Test



Heat Cycle Test

Crimping Tools

Cutting Tools

Wire Strippers

Fish Tapes

Pliers / Nippers

Others

MH-5 [Ⓜ]
 Length: 176mm
 Weight: 240g
 Capacities: 1.25 2 5.5



MH-5S
 Length: 176mm
 Weight: 240g
 Capacities: 1.25 2 3.5 5.5



MH-8 [Ⓜ]
 Length: 235mm
 Weight: 385g
 Capacities: 1.25 2 5.5 8



MH-14 [Ⓜ] / **MH-14DIN**
 Length: 243mm
 Weight: 405g
 MH-14 Capacities: 1.25 2 5.5 8 14
 MH-14 DIN Capacities: 1.5 2.5 6 10 16



MH-22 [Ⓜ]
 Length: 330mm
 Weight: 680g
 Capacities: 5.5 8 14 22



MH-38 [Ⓜ]
 Length: 334mm
 Weight: 686g
 Capacities: 8 14 22 38



MH-4N
 Length: 240mm
 Weight: 425g
 Capacities(DIN) :1.5 2.5 6 10
 (AWG):22-16 16-14 12-10 8



Ratchet Crimp Tools

For Insulated Terminals



MH-3D

Length: 240mm
 Weight: 445g
 Capacities(DIN): 1.5 2.5 6

MH-3DM

Length: 240mm
 Weight: 445g
 Capacities(DIN) : 1.5 2.5 6
 (AWG):22-16 16-14 12-10

MH-032

Length: 183mm
 Weight: 250g
 Capacities(JIS): 0.3 0.5 1.25 2

MH-155

Length: 244mm
 Weight: 420g
 Capacities(JIS): 1.25 2 5.5



Crimping
Tools

Cutting
Tools

Wire
Strippers

For Close End Connectors



MH-125

Length: 182mm
 Weight: 250g
 Capacities: CE-1 CE-2 CE-5

MH-128

Length: 224mm
 Weight: 400g
 Capacities: CE-1 CE-2 CE-5 CE-8



Fish
Tapes

Pliers /
Nippers

For Chain Terminals



MH-3F

Length: 230mm
 Weight: 425g
 Capacities(DIN) : 0.5-1 1.5-2.5 4



Others

Cutting Tools

FEEL THE DIFFERENCE.

The Patented MARVEL New Cutters Provide Easier Cutting with Minimum Effort.
Our novel structure which brings center axis close to the blades cuts much handle force and makes body smaller!!!



Crimping Tools

Cutting Tools

Wire Strippers

Fish Tapes

Pliers / Nippers

Others

EXISTING STRUCTURE



NEW STRUCTURE



Metal Scissors

NEW
NEW STRUCTURE

Cut 1.0 mm Stainless and 1.4 mm Iron Sheet.



Patented


MXS-238

Length: 238mm
Weight: 380g
SUS304: 1.0 mm
Iron sheet: 1.4mm

Bolt Cutters

NEW
NEW STRUCTURE

Reduced Body Size. Increased Performance.



Non-Slip Serrated Jaw



MXB-450

Length: 460mm
Weight: 1,770g
HRB 80 or LESS: \varnothing 10 mm
HRC 40 or LESS: \varnothing 8 mm



MXB-600


Length: 630mm
Weight: 2,600g
HRB 80 or LESS: \varnothing 11 mm
HRC 40 or LESS: \varnothing 9 mm

Patented

Cable Cutter

Good Cross sectional result, Light and Short

Basic blade shape is designed for ideal cutting work-without distorting cut ends, maintaining integrity of cross section for subsequent stripping and crimping. Using Special Light-weight Aluminum for the handles.



Crimp Tools

Cutting Tools

Wire Stripper

Fish Tapes

Pliers / Nipper

Others

NEW
NEW STRUCTURE

Cut the much handle force!!
For Copper Cable Only



MXE-200

Length: 500mm
Weight: 1,490g
IV: 200mm²
SV: 22mm² x 3



Patented

NEW
Compound Leverage Action

Powerful cutting with little effort
For Copper Cable Only



ME-325

Length: 605mm
Weight: 2,230g
IV: 400mm²
SV: 60mm² x 3

Patented

For Copper Cable Only



ME-80

Length: 315mm
Weight: 730g
IV: 80mm²
SV: 14mm² x 3



ME-150

Length: 455mm
Weight: 1,100g
IV: 150mm²
SV: 22mm² x 3



ME-250

Length: 600mm
Weight: 1,540g
IV: 250mm²
SV: 60mm² x 3



ME-500

Length: 800mm
Weight: 2,930g
IV: 500mm²
SV: 100mm² x 3

All parts are replaceable

Cable Cutters



Insulated Cable Cutters *Tested to 50,000V*

For Copper Cable Only

Crimping
Tools

Cutting
Tools

Wire
Strippers

Fish
Tapes

Pliers /
Nippers

Others



ME-150S

Length: 460mm
Weight: 980g
IV: 150mm²
SV: 22mm² x 3



ME-250S

Length: 615mm
Weight: 1,500g
IV: 250mm²
SV: 60mm² x 3

All parts are replaceable


Fiber reinforced plastic handles show no breakdown of insulation in tests to 50,000V.

Blades of forged special tool steel, heat treated.

Withstand voltage tested

Test Conditions

- 50kV, 60Hz alternating voltage applied for 1 minute
- Temperature: 21 degree
- Humidity: 61%
- Test tool: ME-150S
- Date: 12 Jan. 1980
- Location: Osaka Prefectural Industrial Research Institute



Wire Rope Cutters

For Steel Wire Rope, Mild Steel Rod



NEW
NEW STRUCTURE



MXW-012

Length: 614mm
Weight: 2,460g
Stainless Steel Wire: Ø10mm
Wire Rope: Ø12mm
Mild Steel Rod: Ø8mm



Patented

Rod & Wire Cutters

For Steel Wire Rope, Mild Steel Rod



V-shaped blade profile for easy cutting of steel wire and rope without fraying.
Double heat-treated drop-forged blades from special tool steel

All parts are replaceable



MI-60

Length: 310mm
Weight: 730g
Steel Rod: Ø5mm
Wire Rope: Ø7mm
Copper Cable: 60mm²



MI-100

Length: 445mm
Weight: 1,100g
Steel Rod: Ø7mm
Wire Rope: Ø10mm
Copper Cable: 100mm²



MI-200

Length: 600mm
Weight: 1,800g
Steel Rod: Ø9mm
Wire Rope: Ø14mm
Copper Cable: 150mm²

Harder and Tougher

For Steel Wire Rope, Mild Steel Rod, Piano Wire

MSH-65

Length: 585mm
Weight: 2,250g
Steel Rod: Ø11mm
Wire Rope: Ø16mm
Copper Cable: 150mm²
Piano Wire: Ø4.5mm

Long handles and blade shape for optimum leverage.



All parts are replaceable

Heat-treated aluminium handle

Crimpin
Tools

Cutting
Tools

Wire
Stripper

Fish
Tapes

Pliers/
Nipper

Others

Cable Cutters

For Copper Cable Only



NEW

Smooth One-hand Shearing Action

Compound Leverage Action



ME-60S

Length: 240mm
Weight: 380g
IV: 60mm² (13.6)
SV: 8mm² x3

Carbon steel enhanced by heat-treatment provides longer cutting life

Patented

Small and Light Type



Cushion Grips



ME-22

Length: 160mm
Weight: 160g
IV: 22mm² (Ø9.2)

ME-22C

Length: 160mm
Weight: 160g
IV: 22mm² (Ø9.2)

ME-38

Length: 210mm
Weight: 260g
IV: 38mm² (Ø11.4)

ME-60

Length: 235mm
Weight: 430g
IV: 60mm² (Ø13.6)

Wire Cutter

NEW

Provide Easy Cutting!!

Compound Leverage Action



MI-50

Length: 233mm
Weight: 370g
Wire Rope: Ø6mm
Stainless Steel Wire: Ø6mm
Copper Cable: 8mm² (IV)
Mild Steel Rod: Ø5mm

Patented

Electricians' Knives

Folding Knives



MEK-50

Blade Length: 50mm
Length: 185mm
Weight: 110g
Blade: Carbon

MEK-60

Blade Length: 60mm
Length: 195mm
Weight: 115g
Blade: Carbon

MEK-70

Blade Length: 70mm
Length: 205mm
Weight: 120g
Blade: Carbon

MEK-70M

Blade Length: 70mm
Length: 205mm
Weight: 110g
Blade: Stainless

MDX-01

Blade Length: 80mm
Length: 195mm
Weight: 110g
Blade: Stainless

Crimping
Tools

Cutting
Tools

Wire
Strippers

MCK-01

Blade Length: 45-75mm
Length: 185-215mm
Weight: 140g(with case)
90g(knife only)

Blade locks in 4 positions



- Supplied with a functional plastic sheath
- Replaceable blade



MCK-01B

Blade Length: 75mm
• Spare blade for MCK-01



LE-325

Blade Length: 80mm
Length: 234mm
Weight: 250g(with case)
150g(knife only)

Keen cutting quality with
double-edged blade.



- Hanging the case on a belt,
you can twist it and it will stay put.

Button
Lock



- Knife is secure until
button releases it.

Fish
Tapes

Pliers/
Nippers

Others

Multi-Purpose Scissors

For Aluminium Sheet, Molding, Small Copper Cable, Hose

Crimping Tools

Cutting Tools

Wire Strippers

Fish Tapes

Pliers / Nippers

Others

MMS-833R

Length: 190mm
Weight: 160g
Blade: 45mm

MMS-833


Length: 195mm
Weight: 160g
Blade: 45mm



Thick and tough Blades



Safety Latch



Serrated Blades


Blades: Enhanced by special heat treatment
Glips: Glass fiber reinforced plastic & elastomer

Handy Cutters

For Molding, Small Copper Cable, Hose, Tree Branches, Rope, etc.



JHC-64

Length: 205mm
Weight: 220g
Blade: 45mm



JMC-450

Length: 205mm
Weight: 280g
Blade: 45mm



Cut at 90-degree and 45-degree.



High-Speed Steel Hole Cutters

**For Thin Steel, Aluminum, Plastic and Vinyl, etc.
Max: Steel (1.6mm)**

- These long-lasting cutters allow fast cutting of accurately sized holes in steel and alloy sheet.
- Available in 1 mm increments from 12 mm through 100 mm, for use with a hand held electric drill or drill press, they are particularly useful in electrical installation work.




MHE-12 — MHE-100

Carbide Hole Cutters

**For Stainless and Steel
Max: Stainless(3mm) Steel (5mm)**

- Carbide tipped for smooth boring of rigid and hard materials such as vitreous enamel or stainless steel.
- Carbide tips attached to a chrome molybdenum steel base by a high temperature brazing technique.
- Available in 1 mm increments from 15 mm through 100 mm, for use with a hand held electric drill or drill press.



MHT-15 — MHT-100

Crimping
Tools

Cutting
Tools

Wire
Strippers

Fish
Tapes

Pliers/
Nippers

Others

Auger Bits



All of our bits are precision machined from high carbon alloy steel. They are highly concentric, a feature difficult to achieve by conventional forging techniques, and drill clean, accurate holes even when turned at high speed in power tools.

MOC- Auger Bits/ MOC-L Auger Bits

MOC-

Bit diameter(mm): 6-36
Overall length(mm): 225-330



- These types have shanks to suit power tools.
- These are professional auger bits.

- Ideal for electricians and contracting work.
- These bits have unique colored markings to show the depth bored while the bit is turning.

MOC-L

Bit diameter(mm): 10-36
Overall length(mm): 450

- Long grooved power shank.
- Depth markings.
- Long type auger bits.

MOD- Auger Bits

MOD-

Bit diameter(mm): 6-36
Overall length(mm): 160-220



- These types are convenient length auger bits with shanks for use in both hand turned bit braces or in power tools.
- Bore fast, accurate holes in all types of wood.

MOC- EX Auger Bits

MOC- EX

Bit diameter(in.): 3/8
Overall length(mm): 450



- Extension shank for MOC- Auger bits.
- Inner Socket Diameter 12.7mm.

Crimping
Tools

Cutting
Tools

Wire
Strippers


Fish
Tapes

Pliers /
Nippers


Others

Wire Strippers / Pliers

Strip cable smoothly with a single easy gripping action!



- MES-A** Length: 170mm
Weight: 365g
Wire Size: \varnothing 0.5 1.2 1.6 2.0 (mm)
- MES-B** Length: 170mm
Weight: 365g
Wire Size: \varnothing 1.0 1.6 2.0 2.6 3.2 (mm)
- MES-C** Length: 170mm
Weight: 365g
Wire Size: \varnothing 1.25 2.0 3.5 5.5 8.0 (mm)
- MES-202** Length: 170mm
Weight: 365g
Wire Size: \varnothing 0.5/0.75 1.0 1.5 2.5 4.0 6.0 (mm)




Special tool steel, fully heat-treated

Multi-purposes Pliers



- CRIMPS** insulated, non-insulated or chain terminals
- CUTS** bolts: (ISO mm) 2.6 3.0 3.5 4.0 5.0
- CUTS** copper cable: \varnothing 1.8mm steel rod: \varnothing 1.0mm
- STRIPS** wire: 0.5/0.75 1.0 1.5 2.5 4.0 6.0 (mm)



- MEB-100** Length: 220mm Weight: 220g
Pre-insulated: 1.5 2.5 6 (mm)
- MEB-200** Length: 220mm Weight: 220g
Non-insulated: 1.5 2.5 6 (mm)
- MEB-300** Length: 220mm Weight: 220g
Chain: 1.5 2.5 INS (mm)
- MEB-400** Length: 240mm Weight: 275g
Pre-insulated / Non-insulated: 1.5 2.5 6 (mm)
- MEB-500** Length: 240mm Weight: 275g
Pre-insulated / Chain: 1.5 2.5 6 (mm)
- MEB-600** Length: 240mm Weight: 275g
Non-insulated / Chain: 1.5 2.5 6 (mm)

- MEB-100C** Length: 220mm Weight: 220g
Pre-insulated: 1.5 2.5 6 (mm)
- MEB-300C** Length: 240mm Weight: 275g
Pre-insulated / Insulated: 1.5 2.5 6 (mm)
- MEB-400C** Length: 240mm Weight: 275g
Pre-insulated / Non-insulated: 1.5 2.5 6 (mm)
- MEB-500C** Length: 240mm Weight: 275g
Pre-insulated / Chain: 1.5 2.5 6 (mm)

Plier/ Crimper / Stripper / Cutter in one tool!

- CRIMPS** Non-insulated: 1.0 - 2.5 (mm),
Pre-insulated: 0.5 - 2.5 4 - 6 (mm)
- CUTS** bolts: (ISO mm) 2.6 3.0 3.5 4.0 5.0
- CUTS** wire
- STRIPS** wire: 0.5 0.75 1.0-1.5 2.5 4.0 6.0 (mm)



- MS-235PN**
Length: 230mm
Weight: 230g

Crimping Tools

Cutting Tools

Wire Strippers

Fish Tapes

Pliers / Nippers

Others

Fish Tapes



JET LINE

Triple strands of polyester, lightweight and non-conducting.



triple stranded tapes can reduce friction!

Crimping Tools

Ø4.5mm Head Slides Easily!!

MW-4030L (30m)

MW-4050L (50m)

Diameter: Ø5.4mm
 Safety Load Ø4.5head: 784N(80kgf)
 Ø6head: 980N(100kgf)



Lead Head with Wire
 Ø 4.5 mm

Industry leading smallness!!

Lead Head
 Ø 6 mm

Cutting Tools


Wire Strippers

Excellent for Multiple Bends

MW-5030L (30m)

MW-5050L (50m)

Diameter: Ø5.9mm
 Safety Load : 2.9kN(295kgf)



Fish Tapes

MW-7015L (15m)

MW-7030L (30m)

MW-7050L (50m)


MW-7100L (100m)

Diameter: Ø6.2mm
 Safety Load : 3.4kN(346kgf)



Lead head

Pliers / Nippers



Others

Safer and Much Lighter!!

MW-6015L (15m)

MW-6030L (30m)

MW-6050L (50m)


Diameter: Ø5.7mm
 Safety Load : 2.9kN(295kgf)



Fish Tapes

SNAKE LINE


Twist, kink and cut resist. Non-conductive and durable.



MW-430S (30m)

MW-450S (50m)

Diameter: Ø4.5mm
Safety Load : 2.4kN(244kgf)



MW-530S (30m)


MW-550S (50m)

Diameter: Ø5.0mm
Safety Load : 2.9kN(295kgf)

Cable Grips

For secure grip to pull cables and wires

- Available with galvanized steel or rugged stainless steel wire basket
- Flexible pulling loop goes round corners easily



For Terminal Banding



	Cable Diameter(mm)	Length (mm)	Safety Load (kgf)
MG-10	7-12	335	153
MG-15	13-18	390	235
MG-20	18-24	475	460
MG-30	25-35	550	714
MG-45	35-48	780	1,020
MG-60	49-60	940	1,020
MG-75	60-75	1,060	1,020
MG-90	75-90	1,100	1,630
MG-105	90-115	1,330	2,540
MG-135	110-135	1,530	3,000
MG-150	130-150	1,770	3,000

For Intermediate Banding



	Cable Diameter(mm)	Length (mm)	Safety Load (kgf)
MG-30M	25-35	685	765
MG-45M	35-48	950	1,418
MG-60M	49-60	1,090	1,620
MG-75M	60-75	1,210	2,030
MG-90M	75-90	1,245	2,030
MG-105M	90-110	1,510	3,220
MG-135M	110-135	1,680	3,470
MG-150M	135-150	1,880	3,470

Crimping Tools

Cutting Tools

Wire Strippers

Fish Tapes


Pliers / Nippers

Others

Gopher Pole

Light, Non-Conductive and No-Loose!!

- Easy to handle in tight spots
- Fluorescent visible color on head
- Made from carbon



Crimping Tools

Cutting Tools

Wire Strippers

E-4862 Extends to 1.85m from 23.5 cm
Weight: 150g

E-4863 Extends to 2.5m from 28.5 cm
Weight: 165g

With Carrying Case

E-4864 Extends to 3.4m from 35.0 cm
Weight: 205g

With Carrying Case

E-4865 Extends to 4.4m from 46.0 cm
Weight: 240g


With Carrying Case

Longer or Lighted on head ones are also available

Push - Pull Rod

Great for Straight - Running Stability

Ideal for Running Multi-Purpose Cable Behind Walls,
Up Through Crawl Space and Under Floors!



Fish Tapes

Pliers / Nippers

Others

E-4009Js 3 Rods x 1.5m
Diameter: Ø4.0mm

E-4009Jx 3 Rods x 1m
Diameter: Ø4.0mm

E-4008J 3 Rods x 2m
Diameter: Ø5.5mm

E-4008Js 3 Rods x 1.5m
Diameter: Ø5.5mm

Lead head
Safety Load : 686N(70kgf)




Longer ones are also available

Swivels

For relieving line twist



For use on cable grips




	Safety Load (kgf)	A (mm)	B (mm)	C (mm)	Weight (g)
MGS-1	3.4	64	18	9	70
MGS-2	5.9	72	22	11	120
MGS-3	9.8	85	26	13	180
MGS-4	14.7	100	32	15	330
MGS-5	19.6	112	36	17	460

For use on Jet Line fish tapes & cable grips



Jet Line fish tapes



	Safety Load (kgf)	A (mm)	B (mm)	C (mm)	D (mm)	Weight (g)
MGS-00	1.8	29	10	5	4	9.4
MGS-0	2.3	33	13	8	5	16

Plastic Holders

For Fish Tapes

• Available for easy storage and arrangement



MWC-30	Stores 30m fish tape of MW-60 series
MWC-50	Stores 50m fish tape of MW-60 series Stores 30m fish tape of MW-50, 70 series
MMC-50L	Stores 50m fish tape of MW-50,70 series

Rubber Grips


- One hand size
- Non-slip high quality rubber grips can cut down your working time

For tight hand grip of fish tapes

Easy to catch even slippery fish tapes



MW-001
10 x ø75mm



Crimpin
Tools

Cuttin
Tools

Wire
Strippe

Fish
Tapes

Pliers /
Nipper

Others

Pliers / Nippers



VA Cable Cutting Pliers

MVA-200

Length: 200mm
Weight: 340g

DIN

F Cable: $\varnothing 4\text{mm} \times 3$
IV Cable: 25mm² ($\varnothing 9.2\text{mm}$)
Crimping: 2.5~6.0mm²

JIS

F Cable: $\varnothing 2.6\text{mm} \times 3$
IV Cable: 22mm² ($\varnothing 9.2\text{mm}$)
Crimping: 1.25~2mm²

CATCH

Cross hatch nose grip helps grip thin materials easily



CUT

Machine polished blades cut cable without distortion



CRIMP

Built-in terminal crimping die on the handle grips

Crimping Tools

Cutting Tools

Wire Strippers

Fish Tapes

Pliers / Nippers

Others

Heavy Duty Lineman's Pliers



All the features needed in

MA-880

Length: 225mm
Weight: 430g
Crimping: 2.5~6.0mm²

Extra long cutter blades for cutting multi-stranded flat cables with one snip

Diamond pattern nose grip for cleaner, sharper edge and better grip



Radiused chain grip for gripping, pulling, bending and turning

High Leverage Cutting Nippers

High Leverage design with bevelled blades

Black finish with polished jaws

Dipped vinyl grips



MA-730-200

Length: 200mm
Weight: 320g

Drop-forged chrome vanadium steel, Fully heat-treated

For Steel and Cooper wire

Pliers / Nippers



Round Nose Pliers

For wiring, assembly and repair work

MA-500-150




Length: 150mm
Weight: 125g

MA-500-200

Length: 200mm
Weight: 175g

Capacity

Steel Cable: \varnothing 1.5mm
Cooper Cable: \varnothing 2.6mm



Heavy Duty Cutting Nippers

Tough nippers to handle hardened steel wires

MA-620-150



Length: 150mm
Weight: 160g

MA-620-175

Length: 175mm
Weight: 200g

Capacity

Steel Cable: \varnothing 2.0mm
Cooper Cable: \varnothing 3.0mm



Diagonal Cutting Nippers

Flush cutting nippers for soft wires

MA-600-125

Length: 125mm
Weight: 100g

MA-600-150

Length: 150mm
Weight: 125g

Capacity

Steel Cable: \varnothing 1.6mm
Cooper Cable: \varnothing 2.6mm



Cutting Nippers

Nippers for easy flush cutting

MA-660-150



Length: 150mm
Weight: 125g

Capacity

Steel Cable: \varnothing 1.2mm
Cooper Cable: \varnothing 2.6mm



Cutting Nippers

Thin bent nose cleanly

MA-670-125

Length: 125mm
Weight: 90g

MA-670-150

Length: 150mm
Weight: 120g

Capacity

MA-670-125
Plastic: \varnothing 4mm/ Cooper Cable: \varnothing 1.6mm
MA-670-150
Plastic: \varnothing 5mm/ Cooper Cable: \varnothing 2.0mm



Crimping
Tools

Cutting
Tools

Wire
Strippers

Fish
Tapes

Pliers /
Nippers

Others

Screwdrivers

Chrome Vanadium steel, fully heat-treated shank, magnetic tip



Crimping Tools

Cutting Tools

Wire Strippers

Fish Tapes

Pliers / Nippers

Others

No.106+2-106 / No.106-6-106

Comfortable fitting grip
Hexagonal bolster for wrench

Length: 220mm
Shank: 106mm



⊕
#2

⊖
0.6cm

JDT-1002 / JDT-1006

Nickel Chrome molybdenum vanadium steel.
Magnetic tip.

JDT-1002: +2 x 110mm



⊕
#2

JDT-1006: - 6 x 110mm
⊖
0.6cm

No.250+2-100 / No.250-6-100

Length: 195mm
Shank: 100mm

No.250+2-150 / No.250-6-150

Length: 245mm
Shank: 150mm

Easily distinguish + from -
by touching top of grip




⊕
#2

⊖
0.6cm

Insulated Screwdrivers

Rated at 1000V

Dual injection molded insulated shafts



0.5cm

⊖

MSZ-5x100

Length: 217mm
Shank: 100mm



MSZ-5x150

Length: 267mm
Shank: 150mm

0.5cm

⊖

MBZ-5x100

Length: 198mm
Shank: 100mm



MBZ-5x150

Length: 248mm
Shank: 150mm

#2

⊕

MSZ+2x100

Length: 217mm
Shank: 100mm



MSZ+2x150

Length: 267mm
Shank: 150mm

#2

⊕

MBZ+2x100

Length: 198mm
Shank: 100mm



MBZ+2x150

Length: 248mm
Shank: 150mm

Automatic Center Punches

Realize accurate Perforation



Center Punches

High-Speed steel point




AC-130 Length: 130mm
Shank Length: 25mm



AC-230 Length: 160mm
Shank Length: 30mm
(Powerful)



AC-130L Length: 230mm
Shank Length: 100mm



For Metals, Plastic and Woods

Carbide tipped point



AC-130C Length: 130mm
Shank Length: 25mm



AC-230C Length: 160mm
Shank Length: 30mm
(Powerful)


Nail Punch



AN-110 Length: 130mm
Shank Length: 25mm



AN-210 Length: 160mm
Shank Length: 30mm
(Powerful)



For Nails

Crimping
Tools

Cutting
Tools

Wire
Strippers

Fish
Tapes

Pliers /
Nippers

Others



MARVEL CORPORATION

1-26-7, Uemachi, Chuo-ku,
OSAKA, 540-0005, JAPAN

FAX : 81-6-6768-3330

TEL : 81-6-6768-3010

URL : <http://www.marvelcorp.co.jp/global/>

E-mail : sales@marvelcorp.co.jp